



LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY DOCKET NO.

10412-022

APPLICATION NO

10/053,645

APPLICANT

Robert E. Klem

FILING DATE

January 22, 2002

GROUP

1642 1635

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<i>AK</i>	A01	5,734,033	03/31/1998				
	A02	5,831,066	11/03/1998				
	A03	6,040,181	03/21/2000				
	A04	6,060,310	05/09/2000				

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
1 A	B01	WO 88/09810	12/15/1988	PCT	BEST AVAILABLE COPY			
	B02	WO 89/10134	11/02/1989	PCT				

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

<i>AK</i>	C01	Ameis et al., 1990, "Isolation and Characterization of the Human Hepatic Lipase Gene," J Biol Chem. 265(12):6552-6555
	C02	Asseline et al., 1984, "Nucleic acid-binding molecules with high affinity and base sequence specificity: Intercalating agents covalently linked to oligodeoxynucleotides," Proc. Natl Acad. Sci. USA 81:3297-3301
	C03	Bishop, The Molecular Genetics of Cancer, "citing Cellular Oncogenes and Retroviruses," Science, 235:305-311 (1987)
	C04	Blake et al., 1985, "Inhibition of Rabbit Globin mRNA Translation by Sequence-Specific Oligodeoxyribonucleotides," Biochemistry 24:6132-38
	C05	Boutorin et al., 1984, "Complementary addressed reragents carrying EDTA-Fe(II) groups for directed cleavage of single-stranded nucleic acids," FEBS Letters 172:43-6
	C06	Brown et al., 1987, "lac Repressor Can Regulate Expression From A Hybrid SV40 Early Promoter Containing A Lac Operator In Animal Cells," Cell 49(5):603-612
	C07	Burt et al., 1989, "Identification Of Negative And Positive Regulatory Elements In The Human Renin Gene," J Biol Chem. 264(13):7357-62
	C08	Changelian et al., 1989, "Structure of the NGFI-A gene and detection of upstream sequences responsible for its transcriptional induction by nerve growth factor," Proc Natl Acad Sci USA 86(1):377-81
	C09	Chen et al., 1986, "Nuclease activity of 1,10-phenanthroline-copper: Sequence-specific targeting," Proc. Natl. Acad. Sci. USA 83:7147-51
	C10	Cho-Chung, 1998, "CRE-Palindrome Oligonucleotide As A Transcription Factor Decoy And An Inhibitor Of Tumor Growth," Antisense Nucleic Acid Drug Dev. 8(2):167-70
	C11	Chu et al., 1985, "Nonenzymatic sequence-specific cleavage of single-stranded DNA," Proc. Natl. Acad. Sci. USA 82:963-7
	C12	Comb et al., 1986, "A cyclic AMP- and phorbol ester-inducible DNA element," Nature 323:353
	C13	Desbarats et al., 1992, "Identification of a Unique cAMP-Response Element in the Gene Encoding the Cell Adhesion Molecule Gp80 In Dictyostelium Discoideum," J Biol Chem. 267(27):19655-64
	C14	Egholm et al., 1992, "Peptide Nucleic Acids (PNA)-Oligomer Analogues With An Achiral Peptide Backbone" J. Am. Chem. Soc. 114:1895-1897
	C15	Freeland et al., 1988, "Nucleotide sequence of the region upstream of the rat growth hormone gene," GenBank Accession No. X12967
<i>AK</i>	C16	Gautier et al., 1987, α -DNA IV: α -anomeric and β -anomeric tetrathymidylates covalently linked to intercalating oxazolopyridocarbazole. Synthesis, physicochemical properties and poly (rA) vbinding," Nucleic Acids Res. 15:6625-6641

		C17	Goodchild, 1990, "Conjugates Of Oligonucleotides And Modified Oligonucleotides: A Review Of Their Synthesis And Properties," Bioconj. Chem. 1(3):165-87
		C18	Hla and Neilson, 1992 "Human cyclooxygenase-2 cDNA," Proc Natl Acad Sci USA 89(16):7384-8
		C19	Hu and Davidson, 1988, "The inducible <i>lac</i> operator-repressor system is functional for control of expression of injected DNA in <i>Xenopus</i> oocytes," Gene. 62(2):301-13
		C20	Hyrup et al., 1996, "Peptide Nucleic Acids (PNA): Synthesis, Properties and Potential Applications," Bioorganic & Medicinal Chemistry 4(1): 5-23
		C21	Inoue et al., 1987, "Sequence-dependent hydrolysis of RNA using modified oligonucleotide splints and RNase H," FEBS Lett. 215:327-30
		C22	Inoue et al., 1987, "Synthesis and hybridization studies on two complementary nona(2'-O-methyl)ribonucleotides," Nucleic Acids Res. 15:6131-48
		C23	Izuhara et al., 1995, "Transcription of the rat liver uricase-encoding gene is regulated via a cis-acting element responsive to cAMP," Gene. 167(1-2):267-72
		C24	Jansen et al., 1995, "Neuroendocrine-Specific Expression of the Human Prohormone Convertase 1 Gene: Hormonal Regulation of Transcription through Distinct cAMP Response Elements," J Biol Chem. 270(25):15391-7
		C25	Knorre et al., 1985, "Reactive oligonucleotide derivatives and sequence-specific modification of nucleic acids," Biochemie 67:785-9
		C26	Kobayashi K, Kurosawa Y, Fujita K, Nagatsu T., 1989, "Human dopamine β -hydroxylase gene: two mRNA types having different 3'-terminal regions are produced through alternative polyadenylation.," Nuc Acids Res. 17(3):1089-1102
		C27	Lemaitre et al., 1987, "Specific antiviral activity of a poly(L-lysine)-conjugated oligodeoxyribonucleotide sequence complementary to vesicular stomatitis virus N protein mRNA initiation site," Proc. Natl. Acad. Sci. USA 84:648-52
		C28	Letsinger et al., 1989, "Cholesteryl-conjugated oligonucleotides: synthesis, properties, and activity as inhibitors of replication of human immunodeficiency virus in cell culture," Proc. Natl. Acad. Sci. USA 86:6553-6
		C29	Mahata et al., 1996, "Dispersion of Chromogranin/Secretogranin Secretory Protein Family Loci in Mammalian Genomes," Genomics 33(1):135-9
		C30	Miller et al., 1988, "Structure of a Gap Junction Gene: Rat Connexin-32," Biosci Rep. 8(5):455-64
		C31	Monia et al., 1993, "Evaluation of 2'-Modified Oligonucleotides Containing 2' Deoxy Gaps as Antisense Inhibitors of Gene Expression," J. Biol. Chem. 268:14514-22
		C32	Morishita et al., 1998, "Application of Transcription Factor 'decoy' Strategy as Means of Gene Therapy and Study of Gene Expression in Cardiovascular Disease," Circ Res. 82(10):1023-8
		C33	Morvan et al., 1986, "alpha-DNA. I. Synthesis, characterization by high field ^1H -NMR, and base-pairing properties of the unnatural hexadeoxyribonucleotide alpha-[d(CpCpTpTpCpC)] with its complement beta-[d(GpGpApApGpG)]. Nucl. Acids Res. 14:5019-32
		C34	Nielsen et al., 1993, "Peptide nucleic acids (PNAs): Potential antisense and anti-gone agents," Anticancer Drug Des 8:53-63
		C35	Ogawa et al., 1994, "Molecular Cloning and Chromosomal Assignment of the Mouse C-Type Natriuretic Peptide (CNP) Gene (Nppc): Comparison with the Human CNP Gene (NPPC)" Genomics 24(2):383-7
		C36	Ogawa et al., 1995, "Characterization of the 5'-flanking region and chromosomal assignment of the human brain natriuretic peptide gene," J Mol Med. 73(9):457-63
		C37	Park et al., 1999, "Dual Blockade of Cyclic AMP Response Element-(CRE) and AP-1-Directed Transcription by CRE-Transcription Factor Decoy Oligonucleotide Gene-Specific Inhibition of Tumor Growth," J. Biol. Chem. 274:1573-80
		C38	Perez-Albueme et al., 1993, "Transcriptional regulatory elements downstream of the JunB gene," Proc. Natl. Acad. Sci. USA 90(24):11960-4
		C39	Sarabia and Liehr, 1999, "Differential Regulation of C-Fos Expression in Estrogen-Induced Hamster Renal Tumors Compared With Kidney Not Due To Creation of an Estrogen-Response Element by Point Mutation in the Gene's Flanking Sequence," Mol Carcinog. 24(4):255-62
		C40	Schmoll et al., 1999, "Identification of a cAMP response element within the glucose-6-phosphatase hydrolytic subunit gene promoter which is involved in the transcriptional regulation by cAMP and glucocorticoids in H4IIE hepatoma cells," Biochem J. 338 (Pt 2):457-63
		C41	Sensel et al., 1990, "Isolation and characterization of clones for the rat hepatic lipase gene upstream regulatory region" Biochim Biophys Acta. 1048:297-302
		C42	Short et al., 1986, "Characterization of the Phosphoenolpyruvate Carboxykinase (GTP) Promoter-regulatory Region. II. Identification of cAMP and Glucocorticoid Regulatory Domains," J. Biol. Chem. 261:9721-6
		C43	Stein et al., 1988, "Physicochemical properties of phosphorothioate oligodeoxynucleotides," Nucl. Acids Res., 16:3209-21
		C44	Thomas et al., 1990, "Z-DNA formation in the rat growth hormone gene promoter region," Mol Cell Biol. 10(10):5378-87
		C45	Tomita et al., 1997, "A Novel Strategy for Gene Therapy and Gene Regulation Analysis Using Transcription Factor Decoy Oligonucleotides," Exp Nephrol. 5(5):429-34
		C46	Tsujimoto et al., "Involvement of the bcl-2 gene in Human Follicular Lymphoma," Science 228:1440-3 (1985)
		C47	Tsukada et al., 1987, "Identification of a Region in the Human Vasoactive Intestinal Polypeptide Gene Responsible for Regulation by Cyclic AMP," J. Biol. Chem. 262:8743
		C48	Van der Krol et al., 1988, "Modulation of Eukaryotic Gene Expression by Complementary RNA or DNA Sequences," BioTechniques 6:958-976-7

BEST AVAILABLE COPY

		VanBeveren et al., 1983, "Analysis of FBJ-MuSV Provirus and c-fos (Mouse) Gene Reveals That Viral and Cellular fos Gene Products Have Different Carboxy Termini," Cell 32:1241-55
	C50	Verma and Eckstein, 1998, "Modified Oligonucleotides: Synthesis and Strategy for Users," Annu Rev Biochem. 67:99-134
	C51	Virkkunen et al., 1994, "Structural Comparison Of Human And Rat Prostate-Specific Acid Phosphatase Genes And Their Promoters: Identification Of Putative Androgen Response Elements," Biochem Biophys Res Commun. 202(1):49-57
	C52	Vitale et al., 1991, "Molecular cloning of the mouse CCK gene: expression in different brain regions and during cortical development," Nucleic Acids Res. 19(1):169-77
	C53	Vlassov et al., 1986, "Complementary addressed modification and cleavage of a single stranded DNA fragment with alkylating oligonucleotide derivatives," Nucl. Acids Res. 14:4065-76
	C54	Webb et al., 1986, "Hybridization triggered cross-linking of deoxyoligonucleotides," Nucl. Acids Res. 14:7661-74
	C55	Yao et al., 1999, "Molecular Cloning and Sequence Analysis of the 5'-Flanking Region of the Sprague-Dawley Rat Thrombomodulin Gene," DNA Seq. 10(1):55-60
	C56	Yokoyama et al., 1991, "Molecular Cloning Of Human Platelet Thromboxane A Synthase," Biochem Biophys Res Comm. 178(3):1479-84
	C57	Zhu et al., 1992, "Promoter Organization and Activity of Human Monoamine oxidase (MAO) A and B Genes," J Neurosci. 12(11):4437-46
	C58	Zon, 1988, "Oligonucleotide Analogues as Potential Chemotherapeutic Agents," Pharm. Res. 5:539-549
	C59	Alper et al., 2001, "Apoptosis, Growth Arrest And Suppression Of Invasiveness By CRE-Decoy Oligonucleotide In Ovarian Cancer Cells: Protein Kinase A Downregulation And Cytoplasmic Export Of CRE-Binding Proteins," Mol. Cell. Biochem. 218:55-63
	C60	Cho, et al., 2000, "Biochemical Characterization Of Extracellular cAmp-Dependent Protein Kinase As A Tumor Marker," Biochem. and Biophys. Res. Comm. 278:679-684
	C61	Cho-Chung et al., 2000, "CRE-Decoy Oligonucleotide-Inhibition of Gene Expression and Tumor Growth," Mol. and Cell. Biochem. 212:29-34
	C62	Cho-Chung et al., 1999, "Oligonucleotides as Transcription Factor Decoys," Curr. Opin. Mol. Ther. 1(3):386-392
	C63	Lee et al., 2000, "CRE-Transcription Factory Decoy Oligonucleotide Inhibition Of MCF-7 Breast Cancer Cells: Cross-Talk With p53 Signaling Pathway," Biochem. 39:4863-4868
	C64	Park et al., 2001, "Reduction In Cyclin D1/Cdk4/Retinoblastoma Protein Signaling By CRE-Decoy Oligonucleotide," Biochem. and Biophys. Comm. 281:1213-1219

EXAMINER

DATE CONSIDERED

5/16/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

BEST AVAILABLE COPY